

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/579,275	05/26/2000	Hideharu Toda	000673	7796

23850 7590 08/10/2004

ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP
1725 K STREET, NW
SUITE 1000
WASHINGTON, DC 20006

EXAMINER

LAO, LUN S

ART UNIT

PAPER NUMBER

2643

DATE MAILED: 08/10/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/579,275

Applicant(s)

TODA ET AL.

Examiner

Lun-See Lao

Art Unit

2643

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 June 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) _____ is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2643

DETAILED ACTION

Introduction

1. This action response to the amendment filed on 06-22-2004. Claims 1-5 are pending.

2. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Claim Objections

3. Claims 1 and 3 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. The newly added limitation in the amendment file on 02/25/2004 contains new matter (see page 3 lines 1-3 and page 4 lines 11-12, "wherein when more than one signal input component is selected than more than one on-off switch is turned on and more than one signal input component may be accessed at any given moment in time") which is not clearly supported by the specification.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the

Art Unit: 2643

art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1 and 3 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The newly added limitation in the amendment file on 02/25/2004 contains new matter (see page 3 lines 1-3 and page 4 lines 11-12, "wherein when more than one signal input component is selected than more than one on-off switch is turned on and more than one signal input component may be accessed at any given moment in time") which is not clearly supported by the specification.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Washikawa (US PAT. 5,838,393) in view of Simpson (US PAT. 5,838,393).

Consider claims 1-2 Washikawa teaches a component selection control system comprising a plurality of signal output components (see fig.3 (11R-14R)) for outputting AV signals including audio signals and/or video signals, at least one signal input

Art Unit: 2643

component (11P-14P) for receiving the AV signal, and a signal processing control unit (22, 31) having connected thereto the signal output components (11R-14R) and the signal input component (11P-14P), the signal processing control unit being operable to process the AV signal delivered from desired one of the signal output components (11R-14R) as required for sound and/or image reproduction and to feed the AV signal delivered from the desired signal output component (11R-14R) to the signal input component (11P-14P), the component selection control system being characterized in that (see col.3 line 10-col.4 line 50). But Washikawa does not teach clearly each of the signal output components (see fig.3 (11R-14R)) has separate and independent on-off switch provided on a signal output line for delivering the AV signal to the signal processing control unit (22) there through, the signal processing control unit (22) having a common input terminal for receiving the AV signal from the desired signal output component (11R-14R), the signal output lines of the signal output components (11R-14R) being connected to one another at a point connected to the common input terminal of the signal processing control unit (22, 31), the on off switches (21,32) being controllable independently for opening or closing to select one signal output component for feeding its AV signal to the signal processing control unit.

However, Simpson teaches each of the signal output components (see fig.1, 118) has separate and independent on-off switch (see fig.2, 234) provided on a signal output line for delivering the AV signal to the signal processing control unit (see fig.2, (200, 206)) there through, the signal processing control unit (200 and 206) having a common input terminal for receiving the AV signal (216-230) from the desired signal output

Art Unit: 2643

component (236-242), the signal output lines of the signal output components (236-242) being connected to one another at a point connected to the common input terminal of the signal processing control unit (206), the on off switches (214, 234) being controllable independently for opening or closing to select one signal output component for feeding its AV signal to the signal processing control unit (200 and 206 and see col.3 line 16-col.4 line 12).

Therefore, it would have obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Washikawa into Simpon to improve switching system that enables an operator to select device and have all the signals of the source device automatically provided to the destination device.

Consider claim 2, Washikawa teaches the signal processing control unit (see fig.3, (22, 31)) inherently has a common output terminal for delivering the AV signal to the signal input component (11P-14P), and the common output terminal is connected to a signal input line of the signal input component (11R-14R and see col.4 line 30-col.5 line 60).

Consider claim 3, Washikawa teaches a component selection control system comprising a plurality of signal output components (see fig.3 (11R-14R)) for outputting AV signals including audio signals and/or video signals, a plurality of signal input components (11P-14P) for receiving the AV signal, and a signal processing control unit (22, 31) having connected thereto the signal output components (11R-14R) and the signal input components (11P-14P), the signal processing control unit being operable to process the AV signal delivered from desired one of the signal output components

Art Unit: 2643

(11R-14R) as required for audio and/or video reproduction and to feed the AV signal delivered from the desired signal output component to desired one or more of the signal input components (11P-14P), the component selection control system being characterized in that (see col.3 line 10-col.5 line 50); but Washikawa does not teach clearly each of the signal output components (11R-14R) has a separate and independent on-off switch (21,32) provided on a signal output line for delivering the AV signal to the signal processing control unit (31) there through, each of the signal input components (11P-14P) having an on-off switch (21,32) provided on a signal input line for receiving the AV signal from the signal processing control unit (22) there through, the signal processing control unit (22,31) inherently having a common input terminal for receiving the AV signal from the desired signal output component and a common output terminal for delivering the AV signal to the desired signal input component (11P-14P), the signal output lines of the signal output components (11R-14R) being connected to one another at a point connected to the common input terminal of the signal processing control unit (22), the signal input lines of the signal input components being connected to one another at a point connected to the common output terminal of the signal processing control unit (31), the on-off switches (21,32) being controllable for opening or closing to select one signal output component for feeding its AV signal to the signal processing control unit (22) and to select one or more of the signal input components (11P-14P) for receiving the AV signal from the signal processing control unit, wherein when more than one signal input component is selected than more than one on-off switch is turned on.

Art Unit: 2643

However, Simpson teaches each of the signal output components (see fig.1, 118) has a separate and independent on-off switch (see fig.2, 234) provided on a signal output line for delivering the AV signal to the signal processing control unit (see fig.2, (200, 206))) there through, each of the signal input components (see fig.1, 116) having an on-off switch (see fig.2, 214) provided on a signal input line for receiving the AV signal from the signal processing control unit (see fig.2, (200, 206)) there through, the signal processing control unit (200, 206) inherently having a common input terminal for receiving the AV signal from the desired signal output component and a common output terminal for delivering the AV signal to the desired signal input component (see fig.1, (106 and 116)), the signal output lines of the signal output components (see fig.1, (108, 118)) being connected to one another at a point connected to the common input terminal of the signal processing control unit (see fig.2, (200,206)), the signal input lines of the signal input components being connected to one another at a point connected to the common output terminal of the signal processing control unit (200, 206), the on-off switches (see fig.2, (214, 234)) being controllable for opening or closing to select one signal output component for feeding its AV signal to the signal processing control unit (200, 206) and to select one or more of the signal input components (see fig.1, (106, 116)) for receiving the AV signal from the signal processing control unit (see fig.2, (200, 206)), wherein when more than one signal input component is selected than more than one on-off switch is turned on (see col.3 line 16-col.4 line 12).

Therefore, it would have obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Washikawa into Simpon to improve

Art Unit: 2643

switching system that enables an operator to select device and have all the signals of the source device automatically provided to the destination device.

Consider claim 4-5, Washikawa teaches the AV signal to be delivered from the signal output component (11R-14R) and fed to the signal input component (13-14) is an audio signal, and the signal processing control unit comprises an amplifier circuit for amplifying (24) the audio signal received by the common input terminal and feeding the resulting signal to a subsequent speaker (25), and a signal feed line for feeding there through the audio signal received by the common input terminal (see col.7 line 25-col.8 line 20); and each of the signal output components (11R-14R) and the signal input components (11P-14P) inherently has a control circuit (such as 33 (power source circuit) for controlling the on-off switch (21,32) thereof for opening or closing, and the control circuit prepares a control signal for the on-off switch (21,32) in response to a command from a control circuit included in the signal processing control unit (22, 31 and see col.4 15-col.5 line 65).

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

8. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:(703) 872-9306

Art Unit: 2643

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington.


VA., Sixth Floor (Receptionist).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lao,Lun-See whose telephone number is (703) 305-2259. The examiner can normally be reached on Monday-Friday from 8:00 to 6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz, can be reached on (703) 305-4708.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 whose telephone number is (703) 306-0377.

Lao,Lun-See
Patent Examiner
US Patent and Trademark Office
Crystal Park 2
(703305-2259)


DUC NGUYEN
PRIMARY EXAMINER